1 2	3	4	5	6	7 \	7 8	9	10	11
	1	1	1	1	\ \	/	1	1	1

NOTES:

т

C

Δ

υ


B


- 1. ITEM MATERIAL SHALL BE ALUMINUM ALLOY, ALUMINIUM ASSOCIATION TYPE 5052-H32 OR 6061-T6
- 2. SURFACES SHALL BEAR ANODIC COATING IN ACCORDANCE WITH MIL-A-8625, TYPE II CLASS 2, COLOUR BLACK
- 3. DIMENSIONAL REQUIREMENTS APPLY AFTER COATING
- 4. EXTERNAL EDGES SHALL CONFORM TO R0.3 \pm 0.2
- 5. INTERNAL EDGES SHALL CONFORM TO R0.2 MAX
- 6. ITEM MAY BE ELASTICALLY CONSTRAINED DURING INSPECTION TO SATISFY DIMENSIONAL REQUIREMENTS


UNITS ARE MILLIMETRES & GRAMS

DIMENSIONS & TOLERANCES SHALL BE INTERPRETED IN ACCORDANCE WITH ASME Y14.5-2018

NOTES SUPERSEDE TITLE BLOCK CALLOUTS SUPERSEDE NOTES







	PROPRIETARY AND CONFIDENTIAL INFORMATION CONTAINED IN THIS DRAWING IS	DRAFT	RF	9 MAR 2022	ITEM NAME	BEAM—RACK, UPRIGHT	
	THE SOLE PROPERTY OF CLEARPATH ROBOTICS INC. PROHIBITED TO REPRODUCE IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION OF CLEARPATH ROBOTICS INC.					PAPER 432 X 279	SCALE 1:2
		Δ		·			

THIRD ANGLE PROJECTION

UNLESS OTHERWISE SPECIFIED

PRIGHT RAILS, 2U		TEM JMBER	026959	REV.	
LE 1:2	DO NOT SCALE	- Z	SHEET 1 OF 1		

т

Ģ

Ο