


1. ITEM MATERIAL SHALL BE ALUMINUM ALLOY, ALUMINIUM ASSOCIATION TYPE 5052 OR 6061
2. SURFACES SHALL BEAR ANODIC COATING OR POWDER COATING
3. ANODIC COATING SHALL BE IN ACCORDANCE WITH MIL-A-8625, TYPE II CLASS 2, COLOUR BLACK
4. POWDER COATING SHALL BE CURED, TIGER DRYLAC 39/80200, MATTE, FINE TEXTURE, COLOUR BLACK
5. DIMENSIONAL REQUIREMENTS APPLY AFTER COATING
6. EXTERNAL EDGES SHALL CONFORM TO $R0.3 \pm 0.2$
7. INTERNAL EDGES SHALL CONFORM TO R0.2 MAX
8. ITEM MAY BE ELASTICALLY CONSTRAINED DURING INSPECTION TO SATISFY DIMENSIONAL REQUIREMENTS

-
- Technical drawing of a mechanical part with a circular cross-section and a central hole. The drawing includes dimensions: 5.5, 2X 3.3, 2X 3, 0, 2.5, and 1. A table at the bottom left specifies material and finish requirements.
- | | | | |
|--|-----|---|-------|
| | 3.0 | A | B (M) |
| | 0.8 | A | |

Figure 1 shows a schematic diagram of a vertical pipe with a horizontal branch at the bottom. The main vertical pipe has a diameter of 3.18. The horizontal branch has a diameter of 0.3. The horizontal branch is connected to a vertical pipe with a diameter of 0.3. The horizontal branch is labeled 'A'.



UNITS ARE MILLIMETRES & GRAMS
NOTES SUPERSEDE TITLE BLOCK
CALLOUTS SUPERSEDE NOTES
DIMENSIONS & TOLERANCES SHALL BE INTERPRETED
IN ACCORDANCE WITH ASME Y14.5-2018



PROPRIETARY AND CONFIDENTIAL

INFORMATION CONTAINED IN THIS DRAWING IS
THE SOLE PROPERTY OF CLEARPATH ROBOTICS INC.

PROHIBITED TO REPRODUCE IN PART OR AS A WHOLE WITHOUT
WRITTEN PERMISSION OF CLEARPATH ROBOTICS INC.

29 NOV 2022

PLATE—80 X 80, ATTACHMENT INTERFACE

DO NOT SCALE

028859

SHEET 1 OF 1

4